

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

IWR for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

OW _____ WW _____ TA _____

GW _____ OS _____ PA ☒

Location Inspected

Bond released

State of Fee Land

LOGS FILED

Driller's Log

Electric Logs (No. 1) NLR

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____


Lat _____ Mi-L _____ Sonic _____ Others _____

RLS

10-17-62

Grub

2-19-63



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
 SALT LAKE CITY, UTAH

Fee and Patented.....☒
 State☐
 Lease No.
 Public Domain☐
 Lease No.
 Indian☐
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... Notice of Intention to Change Plans..... Notice of Intention to Redrill or Repair..... Notice of Intention to Pull or Alter Casing..... Notice of Intention to Abandon Well.....	<input checked="" type="checkbox"/> 	Subsequent Report of Water Shut-off..... Subsequent Report of Altering Casing..... Subsequent Report of Redrilling or Repair..... Supplementary Well History.....
---	---	--

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 14, 1961, 19

Well No. Doe Knoll Fee No. 1 is located 660 ft. from {N} line and 660 ft. from {W} line of Sec. 26

C. NW. of NW 2 south 12 West Uinta Base
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Wasatch Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7960 feet.

A drilling and plugging bond has been filed with Richard T. Boswell & Lewis E. Meyers

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Green River Fm. 600'
 Mesaverde Fm. 3700'
 Price River Fm. 6,700'
 Frontier Fm. 7,200'

Surface Casing 400' 10" @ 400'
 Prod. " 6,800' 5½"

Well will spud in Tertiary Uinta formation on Monday April 20, 1961

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Western Oil and Mineral Development Inc.

Address 7023 South 2825 East
Salt Lake City, Utah

By Richard T. Boswell
 Title Vice president

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

April 14, 1961

Western Oil and Mineral Development Inc.
7023 South 2825 East
Salt Lake City, Utah

Attn: Richard T. Boswell, Vice President

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Doe Knoll Fee #1, which is to be located 660 feet from the north line and 660 feet from the west line of Section 26, Township 2 South, Range 12 West, UBM, Wasatch County, Utah.

Please be advised that approval to drill said well is hereby granted. However, said approval is conditional upon the 400 feet of surface casing be cemented to the surface.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.


Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

C. B. FREIGHT, Executive Secretary
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: HU 5-2721

STRAWBERRY VALLEY, WASATCH CO. UTAH

LOCATION PLAT: WELL SITE: WESTERN OIL MINERALS DEVELOPMENT
DOE KNOLL NO 1 FEE


C/NW of NW SEC. 26, TWP 2 So. R9 12 W



ELEV. 7960' GR.

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
 SALT LAKE CITY, UTAH

Fee and Patented ☒
 State ☐
 Lease No. _____
 Public Domain ☐
 Lease No. _____
 Indian ☐
 Lease No. _____

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... Notice of Intention to Change Plans..... Notice of Intention to Redrill or Repair..... Notice of Intention to Pull or Alter Casing..... Notice of Intention to Abandon Well.....	<input checked="" type="checkbox"/> 	Subsequent Report of Water Shut-off..... Subsequent Report of Altering Casing..... Subsequent Report of Redrilling or Repair..... Supplementary Well History.....	
--	---	--	----------------------------------

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 14, 1961, 19

Well No. Doeg Knoll is located 660 ft. from {N} line and 660 ft. from {W} line of Sec. 26

C. NW of NW 2 south 12 West Uinta Base
(¼ Sec. and Sec. No.) (Twp.) (Range) (Mortgage)

Wildcat Wasatch Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7960 feet.

A drilling and plugging bond has been filed with Richard T. Boswell & Lewis E. Meyers

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Green River Fm. 600'
 Mesaverde Fm. 3700'
 Price River Fm. 6,700'
 Frontier Fm. 7,200'

Surface Casing 400' 10" @ 400'
 Prod. " 6,800' 5½"

Well will spud in Tertiary Uinta formation on Monday April 20, 1961

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Western Oil and Mineral Development Inc.

Address 7023 South 2825 East
Salt Lake City, Utah

By Richard T. Boswell
 Title Vice president

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

Western Oil and Mineral Development Inc.
Operator

April 14, 1961
Page -2-

ROBERT L. SCHMIDT, Chief Petroleum Engineer
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: AM 6-8616

Address all other forms of communication to the Utah Oil
and Gas Conservation Commission, 310 Newhouse Building, Salt
Lake City, Utah.

Very truly yours,


OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE SECRETARY

CBF:avg

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
 SALT LAKE CITY, UTAH

Fee and Patented.....☒
 State☐
 Lease No.
 Public Domain☐
 Lease No.
 Indian☐
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... Notice of Intention to Change Plans..... Notice of Intention to Redrill or Repair..... Notice of Intention to Pull or Alter Casing..... Notice of Intention to Abandon Well.....	<input checked="" type="checkbox"/> 	Subsequent Report of Water Shut-off..... Subsequent Report of Altering Casing..... Subsequent Report of Redrilling or Repair..... Supplementary Well History.....	
--	---	--	--

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 1, 19⁶¹

Well No. Doe Knoll Fee # 1 is located 1980 ft. from {N} line and 660 ft. from {W} line of Sec. 26

C. SW NW 26 2 south 12 West UBM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Wasatch Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is feet.

A drilling and plugging bond has been filed with

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Location of well shifted 1320 feet south of first announced location to provide a more suitable location and improve on geological position

awaiting engineers plat for official survey and elevation.

Grading location and moving in cable tools in preparation for drilling

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.


Company.....Western Oil and Minerals Development Inc.....

Address.....7023 South 2825 East.....

By.....Lewis E. Meyers Sec.....

Title.....*Lewis E. Meyers*.....

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.



VICINITY SKETCH

FOR: LEWIS F. WELLS

CONSULTING GEOLOGIST

SURVEYED APRIL 28, 1961

— DRAWN BY: RICHARD JENSEN —



22 | 23
27 | 26

1980.0'
S 0° 0' W

660.0
N 90° 0' E

● WELL LOCATION

ELEVATION OF GROUND
AT WELL 7775.8'

Well located in the center of the SW⁴
of the NW⁴ of Section 26, T2S, R12W,
of the Uinta Special Meridian
Wasatch County, Utah

NOTE:

Bearings are true as calculated from Polaris.

May 3, 1961

Western Oil and Mineral Development Inc.
7023 South 2825 East
Salt Lake City, Utah

Attn: Lewis E. Meyers, Secretary

Gentlemen:

This is to acknowledge receipt of your notice of intention to change location for Well No. Doe Knoll Fee #1, which is now to be located 1980 feet from the north line and 660 feet from the west line of Section 26, Township 2 South, Range 12 West, USM, Wasatch County, Utah.

Please be advised that approval to drill said well is hereby granted. However, said approval is conditional upon the 400 feet of surface casing be cemented to the surface and also a Plat being filed with this office in accordance with Rule C-4 (a), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

Western Oil and Mineral Development Inc.
Attn: Lewis E. Meyers, Secretary

May 3, 1961
Page -2-

C. B. FEIGHT, Executive Secretary
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: HU 5-2721

ROBERT L. SCHMIDT, Chief Petroleum Engineer
Office Phone: DA 8-5771 or DA 8-5772
Home Phone: AM 6-8616

Address all other forms of communication to the Utah Oil
and Gas Conservation Commission, 310 Newhouse Building, Salt
Lake City, Utah.

Very truly yours,


OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT,
EXECUTIVE SECRETARY

CBF:avg

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
 SALT LAKE CITY, UTAH

Fee and Patented.....☒
 State☐
 Lease No.
 Public Domain☐
 Lease No.
 Indian☐
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....
Notice of Intention to Abandon Well.....	Weekly Notice.....

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

..... May 15, 19.61..

Well No. Doe Knoll is located 1980 ft. from {S} line and 660 ft. from {W} line of Sec. 26
 Fee # 1
C SW NW 26 2 south 12 west
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Wasatch Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is feet.

A drilling and plugging bond has been filed with

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Rigging up. Cable tools. Building tanks and pits.


I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company.....Western Oil and Minerals Development Inc.
 Address.....7023 South 2825 East By.....Lewis E Meyers
Salt Lake City, Utah Title.....Lewis E. Meyers, Sec.

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah



LOCATE WELL CORRECTLY

To be kept Confidential until Free & Open well
(Not to exceed 4 months after filing date)

LOG OF OIL OR GAS WELL

Operating Company Western Oil & Mineral Address 7023 So. 2825 East, S.L.C.
Lease or Tract. DOE KNOLL Field STRAWBERRY State UTAH
Well No. 1 Sec. 26 T. 21S R. 2W Meridian UBM County WASATCH
Location 1980 ft. N. of N. Line and 660 ft. E. of W. Line of Sec. 26 Elevation 7775.8
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed Miss J. J. Wells
Date _____ Title President, Western Oil & Min.

The summary on this page is for the condition of the well at above date.

Commenced drilling June 1, 1961 Finished drilling July 12, 1961
May 22, 1961

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from NONE to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 65' to 75' No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
NO CASING SET ON THIS HOLE									

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
		NONE			

PLUGS AND ADAPTERS

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material NONE Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
		<u>NONE</u>				

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from SURFACE feet to 235' feet, and from _____ feet to _____ feet

DATES

Date P & A July 12, 1961 Put to producing _____, 19____The production for the first 24 hours was 0 barrels of fluid of which 0% was oil; 0% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Ed Shelton, Driller _____, DrillerJack Finch, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface	35'	35'	At the end of complete Driller's Log add Geologic Tops. State whether from Electric Logs or samples.
35'	65'	30'	
65'	75'	10'	Alum. Red-Brown mudstone with occasional gravel, lenses
75'	110'	35'	
110'	160'	50'	
160'	215'	55'	
215'	235'	20'	
	235'		UINTA Red, earthy shales, silts, sandstone lenses
			Sandy Gray-Green shale
			T.D.

[OVER]

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or hailing.

State whether electric logs were run.

NO ELECTRIC LOGS RUN

THIS WELL WAS P & A IN FAVOR OF A 2ND LOCATION

(SUBMIT IN DUPLICATE)


LAND:

R.D.

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

SALT LAKE CITY, UTAH

Fee and Patented.....☒State☐

Lease No.

Public Domain☐

Lease No.

Indian☐

Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill.....	Subsequent Report of Water Shut-off.....	
Notice of Intention to Change Plans.....	Subsequent Report of Altering Casing.....	
Notice of Intention to Redrill or Repair.....	Subsequent Report of Redrilling or Repair.....	
Notice of Intention to Pull or Alter Casing.....	Supplementary Well History.....	
Notice of Intention to Abandon Well.....	Weekly Notice.....	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 22, 1961

Well No. Doe Knoll is located 1980. ft. from ~~XXXX~~ {S} line and 660. ft. from {E} {W} line of Sec. 26
 Fee # 1
 C SW NW 26 2 south 12 west (Meridian)
 (1/4 Sec. and Sec. No.) (Twp.) (Range)
 Wildcat Wasatch Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is feet.

A drilling and plugging bond has been filed with

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Rigging up. Cable tools. Building tanks and pits.
 Spudded on May 22nd. Fishing for junk in the hole at 120'.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company.....Western Oil and Minerals Development Inc.


Address.....7023 South 2825 East By.....

.....Salt Lake City, Utah.....Title.....Lewis E. Meyers, Sec.

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

(SUBMIT IN DUPLICATE)

LAND:



STATE OF UTAH
OIL & GAS CONSERVATION COMMISSION
 SALT LAKE CITY, UTAH

Fee and Patented.....☒
 State☐
 Lease No.
 Public Domain☐
 Lease No.
 Indian☐
 Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill..... Notice of Intention to Change Plans..... Notice of Intention to Redrill or Repair..... Notice of Intention to Pull or Alter Casing..... Notice of Intention to Abandon Well.....	Subsequent Report of Water Shut-off..... Subsequent Report of Altering Casing..... Subsequent Report of Redrilling or Repair..... Supplementary Well History..... Weekly Report.....
---	---

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 12, 1961

Well No. Doe Knoll is located 1980 ft. from {N} line and 660 ft. from {E} line of Sec. 26
 Fee # 1
C. SW. NW 2. South 12 West UBM
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Wasatch Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7775.8 feet.A drilling and plugging bond has been filed with Oil & Gas Comm.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

Drilling at 235'. In sandy grey green shale.
 Show of gas at 215'.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company.....Western Oil & Mineral Developing Inc.
 Address.....7023 South 2825 East By.....[Signature]
 Salt Lake City, Utah Title.....V. President

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

STATE OF UTAH
OIL & GAS CONSERVATION COMMISSIONState Capitol Building
Salt Lake City 14, Utah

REPORT OF OPERATIONS AND WELL STATUS REPORT

State Utah County Wasatch Field or Lease Strawberry

The following is a correct report of operations and production (including drilling and producing wells) for

July, 1961Agent's address _____ Company Western Oil and Minerals Inc.
42E 4th South Salt Lake City Signed _____Phone _____ Agent's title Sec.State Lease No. _____ Federal Lease No. _____ Indian Lease No. _____ Fee & Pat. ☒

Sec. & ¼ of ¼	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
C SW NW 26	2 So	12 W	# 1	SD				<p>This wildcat test is presently shut down waiting on surface casing and clarification of legal matters.</p> <p>Total depth 235'</p>

NOTE: Report on this form as provided
for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift
SI-Shut In D-Dead
GI-Gas Injection TA-Temp. Aban.
WI-Water Injection

September 13, 1962

Western Oil and Minerals Inc.
42 East 4th South
Salt Lake City, Utah

Attn: R. T. Boswell, Vice President

Re: Well No. Doe Knoll Fee #1,
Sec. 26, T. 2 S, R. 12 W,
USM, Wasatch County, Utah

Gentlemen:

We have not received a "Report of Operations and Well Status Report" (Form OGCC - 4) for the above mentioned well since July, 1961.

Our records indicate that the well was abandoned at a depth of 235 feet. Paul Burchell, Chief Petroleum Engineer for this Commission checked the location September 12, 1962 and found it to be a potential hazard. After a period of time, the wood covering the hole could become rotten or dislodged. Therefore, he has suggested that it be plugged as soon as possible.

If we do not hear from you within the next two weeks, we will deem it necessary to request that the Attorney General's Office take the necessary legal action under the bond.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
EXECUTIVE DIRECTOR

CBF:cp
cc: Lewis E. Meyers
Salt Lake City, Utah

Gentlemen;

When our Geologist Lewis Wells comes in town, the next day or two I will find out if he wants to use this hole or not as there is a deal on with Texas people to drill some holes on this lease. If he does not want to use it we will plug according to your specifications,

Yours Respy.

Lewis E Meyers
Sec. Treas.
Western Oil & Mineral.

Rec'd 9-11-12

January 23, 1963

Western Oil and Minerals Inc.
567 East 21st South
Salt Lake City, Utah

Attention: Lewis E. Meyers

Re: Well No. Dow Knoll Fee #1
Sec. 26, T. 2 S, R. 12 W.,
Wasatch County, Utah

Gentlemen:

The above location has been inspected by our Chief Petroleum Engineer and found satisfactory. As soon as you have completed the enclosed Form OGCC-3, "Log of Oil or Gas Well", and forward it to this office, we will release liability under the bond which was filed by you.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS
RECORDS CLERK

CFF:cnp

Encl. (Forms)

February 19, 1963

Western Oil and Mineral Inc.
7023 South 2825 East
Salt Lake City, Utah

Attn: Messrs. Lewis E. Meyers and R. T. Boswell

Re: Well No. Dow Knoll Fee #1
Sec. 26, T. 2 S, R. 12 W.,
Wasatch County, Utah

Gentlemen:

The above mentioned well was inspected on October 17, 1962,
and was found satisfactorily cleaned and marked. Insofar as this
office is concerned the bond covering this well may be released.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
EXECUTIVE DIRECTOR

CBF:ep